


# Drehmomentprüfadapter

---

## Torque Test Adapters



## Übersicht

---

1/4" – female.....	1
3/8" – female.....	1
3/8" – male.....	4
1/2" – female.....	6
1/2" – male.....	9
3/4" – female.....	10
3/4" – male.....	11
1" – female.....	12
1" – male.....	12
1 1/2" – female.....	12
E6,3 – female.....	13
E6,3 – male.....	13

### 1/4" – female

	Antrieb Input	Abtrieb Output	Länge (mm) Length (mm)	Artikelnummer Article number
	1/4" female	3/8" male	26	2063591
	1/4" female	3/8" male	35	2065370
	1/4" female	1/2" male	35	2065371
	1/4" female	INB.9/64"	50	4050161
	1/4" female	INB.1/4"	50	4050162
	1/4" female	INB.3/32"	50	4050167
	1/4" female	INB.7/32"	50	4050163
	1/4" female	INB.9/32"	50	4050164
	1/4" female	INB.1/8"	50	4050166
	1/4" female	INB.5/16"	50	4050165

### 3/8" – female

	Antrieb Input	Abtrieb Output	Länge (mm) Length (mm)	Artikelnummer Article number
	3/8" female	1/4" female	18	3050808
	3/8" female	1/4" female	35	2065381
	3/8" female	1/4" female	50	3051348-10
	3/8" female	3/8" female	24	2064533
	3/8" female	3/8" female	25	2011289-2
	3/8" female	3/8" female	35	3050819
	3/8" female	3/8" female	38	2057875
	3/8" female	3/8" female	50	2057875-10
	3/8" female	1/2" female	29	2064534-10
	3/8" female	1/2" female	38	2057876

	3/8" female	1/2" female	50	2011267-2
	3/8" female	1/4" male	35	2065372
	3/8" female	3/8" male	35	2065382
	3/8" female	3/8" male	50	2065373
	3/8" female	3/8" male	75	2065374
	3/8" female	3/8" male	120	3025610
	3/8" female	1/2" male	40	2065375
		3/8" female	INB 6,3	50
3/8" female		INB7	30	3052476
3/8" female		INB7	35	2065296
3/8" female		INB8	30	3052477
3/8" female		INB8	35	2065297
3/8" female		INB9	30	3052478
3/8" female		INB9	37	2053970
3/8" female		INB10	30	3052479
3/8" female		INB10	35	2065298
3/8" female		INB10	50	2051704-1
3/8" female		INB11	30	3052480
	3/8" female	INB11	35	2065299
	3/8" female	INB12	35	2065300
	3/8" female	INB13	35	2065301
	3/8" female	INB13	50	2051705-1
	3/8" female	INB14	33	3052828
	3/8" female	INB15	33	3052829
	3/8" female	INB16	33	3052830
	3/8" female	INB17	33	3052831
	3/8" female	INB18	33	3052832
	3/8" female	INB19	33	3052833

	3/8" female	T10 female	25	2064593
	3/8" female	T20 female	30	3052469
	3/8" female	T25 female	30	3052470
	3/8" female	T27 female	30	3052497
	3/8" female	T30 female	30	3052471
	3/8" female	T35 female	33	3052825
	3/8" female	T40 female	30	3052472
	3/8" female	T45 female	33	3052826
	3/8" female	T50 female	33	3052827
	3/8" female	E4 male	35	2065302
	3/8" female	E5 male	35	2065303
	3/8" female	E6 male	35	2065304
	3/8" female	E7 male	35	2065305
	3/8" female	E8 male	35	2065306
	3/8" female	E10 male	30	3052468
	3/8" female	E10 male	35	2065307
	3/8" female	E11 male	30	3052467
	3/8" female	E12 male	33	3052834
3/8" female	E14 male	33	3052835	
	3/8" female	XZN5 female	30	3052466
	3/8" female	XZN5 female	35	2065342
	3/8" female	XZN6 female	30	2064590
	3/8" female	XZN6 female	35	2065343
	3/8" female	XZN8 female	33	3052836
	3/8" female	XZN10 male	33	3052837
	3/8" female	XZN12 male	33	3052838

	3/8" female	SW5 female	35	2065340
	3/8" female	SW5 female	37	3052463
	3/8" female	1/4"-Sechskant (SW6,35)	35	2065295
	3/8" female	SW6 female	35	2065341

### 3/8" – male

	Antrieb	Abtrieb	Länge (mm)	Artikelnummer
	Input	Output	Length (mm)	Article number
	3/8" male	3/8" male	26	2063595-1
	3/8" male	3/8" male	50	3052609-L50
	3/8" male	3/8" male	100	3052609-L100
	3/8" male	3/8" male	150	3052609-L150
	3/8" male	INB7	33	3052839
	3/8" male	INB7	37	2063842
	3/8" male	INB8	37	2053971
	3/8" male	INB9	33	3052840
	3/8" male	INB10	37	5430044
	3/8" male	INB11	37	2053972
	3/8" male	INB12	37	2053973
	3/8" male	INB13	37	5430045
	3/8" male	INB14	30	3050765
	3/8" male	INB14	37	2053974
	3/8" male	INB15	30	3050764
	3/8" male	INB15	37	2053975
	3/8" male	INB15	50	5630004
	3/8" male	INB16	30	3050763
	3/8" male	INB16	37	5430046

	3/8" male	INB17	37	5430047
	3/8" male	INB18	37	5430048
	3/8" male	INB19	37	5430049
	3/8" male	INB20	37	2053976
	3/8" male	INB21	37	2053977
	3/8" male	INB22	30	3051393
	3/8" male	INB22	37	5430050
	3/8" male	INB24	37	5430051
	3/8" male	INB27	37	5430052
<hr/>				
	3/8" male	T20 male	37	2053978
	3/8" male	T25 male	37	2053979
	3/8" male	T30 male	37	2053980
	3/8" male	T35 male	37	2053981
	3/8" male	T40 male	37	2053982
	3/8" male	T45 male	37	2053983
	3/8" male	T50 male	37	2053984
	3/8" male	T55 male	37	2053985
	3/8" male	T60 male	37	2053986
<hr/>				
	3/8" male	M10	22	3051463
	3/8" male	M12	24	3051464
	3/8" male	M14	25	3051465
	3/8" male	M16	27	3051466
	3/8" male	M18	29	3051467
	3/8" male	M20	30	3051468
	3/8" male	M24	33	3051469
	3/8" male	M27	36	3051470
<hr/>				
3/8" male	XZN10 female	120	3052610	

**1/2" – female**

	<b>Antrieb</b>	<b>Abtrieb</b>	<b>Länge (mm)</b>	<b>Artikelnummer</b>
	<b>Input</b>	<b>Output</b>	<b>Length (mm)</b>	<b>Article number</b>
	1/2" female	3/8" female	35	3050591
	1/2" female	1/2" female	30	3050592
	1/2" female	1/2" female	32	2064532
	1/2" female	1/2" female	38	2057877
	1/2" female	1/2" female	50	2011267-1
	1/2" female	3/4" female	250	3052059
	1/2" female	1/4" male	35	2065383
	1/2" female	1/4" male	40	2065376
	1/2" female	3/8" male	35	2065384
	1/2" female	3/8" male	40	2065377
	1/2" female	1/2" male	35	2065385
	1/2" female	1/2" male	50	2065378
	1/2" female	1/2" male	75	2065379
	1/2" female	INB6,35	40	2065310
	1/2" female	INB8	32	3030004
	1/2" female	INB10	40	2065311
	1/2" female	INB10d6k	25	2064587
	1/2" female	INB11	32	3030002
	1/2" female	INB11	40	2065312
	1/2" female	INB12	40	2065313
	1/2" female	INB13	35	3051499
	1/2" female	INB13	40	2065314
	1/2" female	INB14	40	2065315
	1/2" female	INB15	40	2065316
	1/2" female	INB16	40	2065317

1/2" female	INB17	40	2065318
1/2" female	INB18	40	2065319
1/2" female	INB19	35	3051500
1/2" female	INB19	40	2065320
1/2" female	INB20	40	3052489
1/2" female	INB21	40	2065321
1/2" female	INB22	40	2065322
1/2" female	INB22	75	2065389
1/2" female	INB23	40	3052492
1/2" female	INB24	40	3030003-24
1/2" female	INB24	75	2065390
1/2" female	INB27	38	2110756
1/2" female	INB27	40	3052493
1/2" female	INB27	65	2110756-10
1/2" female	INB27	75	2110756-20
1/2" female	INB27/INB22/INB14	90	2064340
1/2" female	INB27/INB22/INB20	93	2064340-10
1/2" female	INB32	40	3052494
<hr/>			
1/2" female	T8 female	35	2065353
1/2" female	T10 female	35	2065354
1/2" female	T15 female	35	2065355
1/2" female	T20 female	35	2065356
1/2" female	T25 female	35	2065357
1/2" female	T27 female	35	2065358
1/2" female	T30 female	35	2065359
1/2" female	T35 female	35	2065360
1/2" female	T40 female	35	2065361
1/2" female	T45 female	30	2064591



	1/2" female	T45 female	33	3052776
	1/2" female	T45 female	35	2065362
	1/2" female	T50 female	30	2064597
	1/2" female	T50 female	33	3052732
	1/2" female	T50 female	35	2065363
	1/2" female	T55 female	33	3052733
	1/2" female	T55 female	35	2065364
	1/2" female	T60 female	33	3052734
	1/2" female	E7 male	40	2065324
	1/2" female	E8 male	40	2065325
	1/2" female	E10 male	40	2065326
	1/2" female	E11 male	40	2065327
	1/2" female	E12 male	35	3051498
	1/2" female	E12 male	40	2065328
	1/2" female	E14 male	40	2065329
	1/2" female	E24 female	40	2064594
	1/2" female	SW5 female	35	2065345
	1/2" female	SW6 female	35	2065346
	1/2" female	SW8 female	35	2065347
	1/2" female	SW24 female	40	2065323
	1/2" female	SW26 female	40	3052464
	1/2" female	XZN6 female	35	2065348
	1/2" female	XZN8 female	30	2064595
	1/2" female	XZN8 female	35	2065349
	1/2" female	XZN10 female	35	2065350
	1/2" female	XZN10 female	40	3050589
	1/2" female	XZN12 female	35	2065351
	1/2" female	XZN12 female	40	3050588

1/2" female	XZN14 female	35	2065352
1/2" female	XZN14 female	40	3052465

### 1/2" – male

	<b>Antrieb</b>	<b>Abtrieb</b>	<b>Länge (mm)</b>	<b>Artikelnummer</b>
	<b>Input</b>	<b>Output</b>	<b>Length (mm)</b>	<b>Article number</b>
	1/2" male	1/2" male	38	2063595
	1/2" male	1/2" male	50	3052608-L50
	1/2" male	1/2" male	100	3052608-L100
	1/2" male	1/2" male	150	3052608-L150
	1/2" male	INB11	55	3052356
	1/2" male	INB14	36	3050766
	1/2" male	INB15	36	3050767
	1/2" male	INB16	30	3051389
	1/2" male	INB16	36	3050768
	1/2" male	INB17	30	3051390
	1/2" male	INB17	56	5630003
	1/2" male	INB18	56	5630002
	1/2" male	INB19	30	3051391
	1/2" male	INB19	56	5630001
	1/2" male	INB20	42	2061473-20
	1/2" male	INB21	30	3051392
	1/2" male	INB21	56	5630005
	1/2" male	INB24	30	3051394
	1/2" male	INB 1 5/46"	30	3052279
	1/2" male	INB41	40	2062514
	1/2" male	INB46	40	2062513
1/2" male	INB50	40	2062512	

1/2" male	E18 Male	40	2063594
1/2" male	SW13d6k female	35	4051052

### 3/4" - female

	Antrieb Input	Abtrieb Output	Länge (mm) Length (mm)	Artikelnummer Article number	
	3/4" female	1/2" female	65	2011267-3	
	3/4" female	3/4" female	80	2011267-4	
	3/4" female	1/2" male	42	403118-2	
	3/4" female	INB17	54	3051954	
	3/4" female	INB19	54	3030012	
	3/4" female	INB20	54	3030029	
	3/4" female	INB22	54	3051946	
	3/4" female	INB24	54	3051947	
	3/4" female	INB27	54	3051948	
	3/4" female	INB30	54	3051949	
	3/4" female	INB32	54	3051950	
		3/4" female	INB36	54	3051951
		3/4" female	INB36	75	3051951-75
3/4" female		INB41	54	3051953	
	3/4" female	INB46	54	3051952	

**3/4" - male**

<b>Antrieb</b>	<b>Abtrieb</b>	<b>Länge (mm)</b>	<b>Artikelnummer</b>
<b>Input</b>	<b>Output</b>	<b>Length (mm)</b>	<b>Article number</b>
3/4" male	INB13	50	2610063-11
3/4" male	INB15	50	2610063-17
3/4" male	INB16	50	2610063-10
3/4" male	INB17	50	2610063-1
3/4" male	INB18	50	2610063-2
3/4" male	INB19	50	2610063-3
3/4" male	INB20	50	2610063-4
3/4" male	INB21	50	2610063-5
3/4" male	INB22	50	2610063-6
3/4" male	INB23	50	2610063-7
3/4" male	INB24	50	2610063-12
3/4" male	INB25	50	2610063-8
3/4" male	INB26	50	2610063-9
3/4" male	INB27	50	2610063-18
3/4" male	INB30	50	2610063-16
3/4" male	INB32	50	2610063-19
3/4" male	INB34	50	3052091-50
3/4" male	INB36	50	2610063-20
3/4" male	INB41	50	2062573
3/4" male	INB46	50	2062572
3/4" male	INB50	50	2062571
3/4" male	INB55	50	2610063-13



### 1" – female

Antrieb	Abtrieb	Länge (mm)	Artikelnummer
Input	Output	Length (mm)	Article number
1" female	3/4"	75	2053343-1

### 1" – male

Antrieb	Abtrieb	Länge (mm)	Artikelnummer
Input	Output	Length (mm)	Article number
1" male	INB24	50	2610063-12
1" male	INB24	60	3050913
1" male	INB27	50	2610063-18
1" male	INB27	60	3050914
1" male	INB30	50	2610063-16
1" male	INB30	60	3050915
1" male	INB32	50	2610063-19
1" male	INB32	60	3050916
1" male	INB34	50	3050417
1" male	INB36	60	3050917



### 1 ½" – female



Antrieb	Abtrieb	Länge (mm)	Artikelnummer
Input	Output	Length (mm)	Article number
1 ½" female	3/4" female	100	4050154
1 ½" female	1" female	100	4050153
1 ½" female	1 ¼" female	100	4050152
1 ½" female	1 ½" female	100	4051010

**E6,3 – female**


<b>Antrieb</b>	<b>Abtrieb</b>	<b>Länge (mm)</b>	<b>Artikelnummer</b>
<b>Input</b>	<b>Output</b>	<b>Length (mm)</b>	<b>Article number</b>
E6,3 female	T8IP female	50	3052042-50
E6,3 female	T10IP female	50	3052042-40
E6,3 female	T20 female	30	2063612
E6,3 female	T20 female	50	3052042-10
E6,3 female	T20IP female	50	3052042-30
E6,3 female	T25 female	30	2063611
E6,3 female	T25 female	50	3052042-20
E6,3 female	PH2 female	50	3052042
E6,3 female	SW13 male	50	3052042-60

**E6,3 – male**


<b>Antrieb</b>	<b>Abtrieb</b>	<b>Länge (mm)</b>	<b>Artikelnummer</b>
<b>Input</b>	<b>Output</b>	<b>Length (mm)</b>	<b>Article number</b>
E6,3 male	1/4" male	50	2063592-10
E6,3 male	3/8" female	40	2064535
E6,3 male	3/8" female	50	2063597
E6,3 male	3/8" male	50	2063592
E6,3 male	3/8" female	60	1930421
E6,3 male	1/2" female	50	2063597-1
E6,3 male	1/2" female	60	1930422
E6,3 male	C6,3 female	116	3050221



ekatec GmbH  
Römerstraße 30  
D-72108 Rottenburg am Neckar  
Telefon +49 (0) 7472 93790-0  
info@ekatec.de  
www.ekatec.de  
www.ekatec.us

01/2026

